



Product: [70018E](#)

AUDIO ANALOG 1 PAIR 26AWG,TPE

Product Description

ANALOG AUDIO 1 PAIR 26AWG/0.14mm², TPE

Technical Specifications

Product Overview

Suitable Applications:	1 PR Audio snake cable for mobile applications
------------------------	--

Physical Characteristics (Overall)

Conductor

AWG	Stranding	Construction n x D	No. of Pairs
26	18x38	18x0.10 mm	1

Conductor Count:	2
Total Number of Pairs:	1

Insulation

Material	Diameter +/- Tolerance
PE - Polyethylene	0.05 mm

Color Chart

Color
Red & White

Inner Shield Material

Material	Coverage [%]
Tinned Copper (TC)	90%

Inner Jacket Material

Material
TPE - Thermoplastic Elastomer

Table Notes:	Jacket single element
--------------	-----------------------

Outer Shield Material

Material
Tinned Copper (TC)
Tinned Copper (TC)

Outer Jacket Material

Material	Nominal Diameter
TPE - Thermoplastic Elastomer	4.50 mm

Construction and Dimensions

Cabling

Description
1 pair

Electrical Characteristics

Conductor DCR

Max. Conductor DCR
148 Ohm/km

Capacitance

Nom. Capacitance Conductor to Conductor
70 pF/m

Mechanical Characteristics

Min Bend Radius During Installation:	70 mm
Min Bend Radius During Operation:	45 mm

Applicable Environmental and Other Programs

Environmental Space:	Indoor
EU RoHS Compliance Date (yyyy-mm-dd):	2016-11-25

Part Number

Variants

Item #	Color	Putup Type	Length	EAN
70018E.00500	Black	Reel	500 m	8719605009487

History

Update and Revision:	Revision Number: 0.78 Revision Date: 08-25-2020
----------------------	---

© 2020 Belden, Inc

All Rights Reserved.

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described here in are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Belden provides the information and specifications herein on an "ASIS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale.

Belden believes this product to be in compliance with all applicable environmental programs as listed in the data sheet. The information provided is correct to the best of Belden's knowledge, information and belief at the date of its publication. This information is designed only as a general guide for the safe handling, storage, and any other operation of the product itself or the one that it becomes a part of. The Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulations based on their individual usage of the product.