

# Product: <u>8700</u> ☑

Special Audio, #28 TC coax, BC Braid, PVC Jacket, CMH



## **Product Description**

Minature, 28 AWG solid .013" tinned copper conductor, polypropylene insulation, bare copper braid shield (90% coverage), PVC jacket.

## **Technical Specifications**

## **Physical Characteristics (Overall)**

AWG	Stranding	Material	Nominal Diameter	No. of Coax		
28	Solid	TC - Tinned Copper	0.013 in	1		
Condu	uctor Count:			1		
sulat	ion					
	Material	Nominal Diameter	1			
'P - F	olypropylene	e 0.023 in				
uter	Shield Mater	ial	4			
Гуре	Materia		0			
Braid		er (BC) 92%	4			
Jialu	Dare Coppe	(DC) 92 /0				
uter	Jacket Mater	ial				
	Material	Nominal Dian	neter			
PVC -	Polyvinyl Ch	loride 0.054 in				
		racteristics				
lect	rical Cha	racteristics				
ondu	ctor DCR					
Nor	ninal Condu DCR	ctor Nominal Co	nductor DCR Condu	ictor Resistance	Nominal Outer Shield DCR	Outer Conductor DC
ee 0 (	0.000000000000000000000000000000000000	66.9 Ohm/10	000ft		28.7 Ohm/1000ft	28.7 Ohm/1000ft

Nom. Capacitance Conductor to Shield
55.2 pF/ft

#### Inductance

Nominal Inductanc 0.049 µH/ft

#### Impedance

Nominal Characteristic Impedance
32 Ohm

## High Frequency (Nominal/Typical)

Frequency [MHz]	Nom. Insertion Loss
1 MHz	2.5 dB/100ft
10 MHz	7.7 dB/100ft

50 MHz	17.2 dB/100ft
100 MHz	24.5 dB/100ft
200 MHz	34.8 dB/100ft
400 MHz	50 dB/100ft
700 MHz	66 dB/100ft
900 MHz	75 dB/100ft
1000 MHz	79 dB/100ft

#### Delay

I	Nominal Delay	Nominal Velocity of Propagation (VP) [%]
-	1.54 ns/ft	66%

#### Voltage

UL Voltage Rating 300 V RMS

## **Temperature Range**

Non-UL Temp Rating:	105°C
Operating Temp Range:	-30°C To +105°C

#### **Mechanical Characteristics**

Bulk Cable Weight:	3 lbs/1000ft
Max. Pull Tension:	7 lbs
Min Bend Radius/Minor Axis:	0.5 in

## **Standards**

NEC/(UL) Compliance:	СМН
CEC/C(UL) Compliance:	СМН
CPR Euroclass:	Eca
RG Type:	N/A

# Applicable Environmental and Other Programs

Environmental Space:	Indoor (Not Riser or Plenum)
EU Directive 2000/53/EC (ELV):	Yes
EU Directive 2003/11/EC (BFR):	Yes
EU Directive 2011/65/EU (ROHS II):	Yes
EU Directive 2012/19/EU (WEEE):	Yes
EU Directive 2015/863/EU:	Yes
EU Directive Compliance:	EU Directive 2003/11/EC (BFR)
EU CE Mark:	No
EU RoHS Compliance Date (yyyy-mm-dd):	2004-01-01
MII Order #39 (China RoHS):	Yes

# Flammability, LS0H, Toxicity Testing

UL Flammability:	VW-1
CSA Flammability:	FT1
IEC Flammability:	IEC 60332-1-2
UL voltage rating:	300 V RMS

No

## Plenum/Non-Plenum

Plenum (Y/N):

## Part Number

Variants						
ltem #	Color	Putup Type	Length	UPC		
8700 010250	Black	Reel	250 ft	612825214397		

#### History

Update and Revision:

Revision Number: 0.267 Revision Date: 09-30-2020

#### © 2020 Belden, Inc

#### All Rights Reserved.

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described here in are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Belden provides the information and specifications herein on an "ASIS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale.

Belden believes this product to be in compliance with all applicable environmental programs as listed in the data sheet. The information provided is correct to the best of Belden's knowledge, information and belief at the date of its publication. This information is designed only as a general guide for the safe handling, storage, and any other operation of the product itself or the one that it becomes a part of. The Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulators based on their individual usage of the product.